

INDEX MAPS.

T. 4 S R. 11 W 2^d Mer.

413 416	413 416	413 415	414 415	414 415	414 414	
412 6	409 5	409 4	409 3	410 2	410 1	385 388
408	409	407 408	398 410	398 410	398 410	
412 7	407 8	407 9	398 10	397 11	397 12	385 387
406	406 407	405	396 397	396 397	394	
412 18	406 17	405 16	395 15	395 14	394 13	385 387
405	404	403	393 395	394 394	394	
411 19	404 20	403 21	393 22	393 23	392 24	385 387
404	402 403	402 402	391 393	391 392	392	
411 30	402 29	401 28	391 27	390 26	390 25	385 387
401	400 401	400 401	389 391	389 390	386 389	
411 31	400 32	399 33	389 34	388 35	386 36	386 387
399	399	388 399	388	386	386	

T. 5 S R. 11 W. 2^d Mer.

442	442	442	441	441	441	
443 6	437 5	438 4	439 3	439 2	440 1	419
437	438	438	439	439	440	
443 7	436 8	436 9	436 10	436 11	436 12	419
434	434	435	435	435	435	
443 18	434 17	433 16	433 15	14	432 13	419
431	431	431	432	432	432	
444 19	430 20	430 21	429 22	429 23	429 24	419
430	427	428	428	428	428	
444 30	427 29	427 28	425 27	425 26	424 25	420
426	427	425	424	423	423	
444 31	426 32	425 33	424 34	423 35	422 36	420
422	421	421	421	421	420	

The figures on the lines refer to the page.

Township N 5. South of Range N 11. W. 2nd Mer.

419

- Jan^y 7th 1806. Finding Wretors Town Cor. 2. 7. 10. (W. 6.
of the Intersection of the Vincennes line. I commenced at the latter.
South Between Towns 5 & 5. Sec. 1. & 6. & Ranges 10. & 11.
14. 25 To a B Oak 12. in. diam. which stands in the line,
110. 00 To a Post for the Cor. to 1/4 Sec. from which a B. Oak 14. in.
diam. bears S. 39. W. 7. lks. dist. Ya W. Oak 6. in. diam.
bears S. 32. E. 22. lks. dist.
74. 75 To a Branch 12. lks. wide. Course W.
80. 00 To the mile post Cor. of Sec. - from which a B. Oak 13. in.
diam. bears S. 63. W. 3. 56 lks. dist. Ya Hickory 6. in. diam.
bears S. 38. W. 1. 36 lks. dist.

-
- South On the Range of Sec. 12. T. 5. S. R. 11. W.
26. 50 To a Branch 8. lks. wide. Course N 40. W.
40. 00 To the Post for the Cor. to 1/4 Sec. from which a B. Oak
8. in. diam. bears. S. 58. W. 11. lks. dist. Ya B. Oak 8. in. diam.
bears N. 41. W. 42. lks. dist.
62. 05 To the S. side of the Barrens.
64. 48 To a B. Oak 12. in. diam. stands in the line.
80. 00 To the Mile Post, from which a B. Oak 16. in. diam. bears
N 22. W. 62 lks. dist. Ya B. Oak 14 in. diam. bears S. 58. W 43 lks.

-
- South Range line of Sec. 13.
9. 38 To a W. Oak. 20. in. diam. stands in the line.
31. 25 To a Branch 8. lks. diam. stands in the line.
40. 00 To a Post for the Cor. to 1/4 Sec. from which a B. Oak 13. in.
diam. bears S. 59. W. 10. lks. dist. Ya B. Oak 12. in. diam.
bears N. 4. W. 18. lks. dist.
69. 06 To a B. Oak 22. in. diam. stands in the line
80. 00 To the Mile Post. from which a B. Oak 18. in. diam. bears
S. 75. W. 15. lks. dist. Ya B. Oak 20. in. diam. bears
N. 10 W. 78. lks. dist. A B. Oak. Bridge.

-
- South Range line of Sec. 24. T. 5. S. R. N 11. W.
29. 00 To a Branch 6 lks. wide. Course S. 30. W.
40. 00 To a Post for the Cor. to 1/4 Sec. from which a B. Oak. 14. in.

T. N. S. G. Co. N. M. W. 2nd Mer.

diarn? bears N. 51. W. 10. lbs. dist? Ya W. Oak 6. in? diam?
bears G. 37. W. 25. lbs. dist?

40. 50 To a Branch 4. lbs. wide. Course W.

66. 08 To a W. Oak 12. in? diam? which stands in the line.

80. 00 To the Mile post. from which an W. Oak 8. in? diam? bears
S. 31. W. 20. lbs. dist? Ya W. Oak 12. in? diam? bears N. 26.
W. 12. lbs. dist - Oak & Hickory Bridges.

South Range line of Sec. 25. T. 5. S. Co. N. M. W.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Gum 8.
in? diam? bears N. 70. W. 41. lbs. dist? Ya W. Oak 10. in?
diam? bears G. 56. 30. W. 36. lbs. dist?

50. 00 To Bottom 18. ch? of 50. lbs. wide.

61. 73 To a Branch 10. lbs. wide. Course W.

64. 30 To a W. Oak 28. in? diam? which stands in the line.

80. 00 To the Mile post. from which a W. Oak 12. in? diam?
bears G. 51. W. 35. lbs. dist? Ya W. Oak 30. in? diam? bears
N. 77. 1/2. W. 78. lbs. dist Oak & Hickory Bridges.

South Range line of Sec. 36. T. 5. S. Co. N. M. W.

25. 00 To a Branch 10. lbs. wide. Course W.

30 88 To a W. Oak 12. in? diam? stands in the line

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 13
in? diam? bears G. 83. W. 16. lbs. dist? Ya Gum 6. in?
diam? bears G. 22. W. 9. lbs. dist?

61. 43 To a W. Oak 20. in? diam? stands in the line.

71. 50 To a Branch 6. lbs. wide. Course W.

80. 00 To the Mile post. from which a W. Oak 24. in? diam?
bears N. 72. W. 53. lbs. dist? Ya W. Oak 12. in? diam?
bears G. 64. W. 38. lbs. dist Oak & Hickory Bridges.

Jun? 7th 1866.

West On the Town line of Sec. 36. T. N. S. G. Co. N. M. W.

18. 18 To a Branch 10. lbs. wide. Course W.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a No. Chest.
13. in? diam? bears N. 39. E. 15. lbs. dist? Ya an Ash 12. in? in

T. 5. S. R. N. 11. W. 2nd Mer.

diam. bears S. 59. W. 40. lks. dist.

49. 00 To a Post Road.

72. 50 To a Branch 40. lks. wide. Course S. 10. W.

80. 00 To the mile post. from which a W. Oak 24. in. diam. bears
N. 42. E. 70. lks. dist. & a W. Oak 23. in. diam. bears N. 11. W. 88.
lks. dist. Land. Sand. part Wet; Timber. Oak, & Hickory Elm. &c.

West Town line of Sec. 35.

26. 00 To a Branch 30. lks. wide. Course S. 40. E. Crossing it 5. times
leaving it on the N. at 36. ch. up the said Branch.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 23. in.
diam. bears S. 39. E. 8. lks. dist. & a Maple 10. in. diam. bears
N. 12. W. 20. lks. dist.

50. 00 Set a mile Post from which a Hickory 12. in. diam. bears S.
17. E. 36. lks. dist. & a S. 8. in. diam. bears N. 54. E. 12. lks. dist.
Brushy, some Bottom. Timber. Oak. Elm. & Hickory.

West On the Town line. Sec. 34. T. 5. S. R. N. 11. W.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 8. in. in
diam. bears N. 31. W. 7. lks. dist. & a W. Oak 6. in. diam. bears
S. 28. W. 16. lks. dist.

40. 88 To a Branch 6. lks. wide. Course S. 30. E.

45. 62 To a Branch 8. " " " South.

80. 00 To the mile post. from which a W. Oak 14. in. diam. bears N. 50.
W. 15. lks. dist. & a W. Oak 18. in. diam. bears S. 76. W. 28. lks. dist.
Land. Sand. & Brushy. Timber. Oak. & Hickory.

West On the Town line of Sec. 33.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Hickory 7. in.
diam. bears S. 79. 30. W. 13. lks. dist. & an Elm 6. in. diam. bears
S. 28. W. 8. lks. dist.

80. 00 Set a Mile post. from which a Poplar 18. in. diam. bears
N. 52. W. 11. lks. dist. & a Poplar 20. in. diam. bears N. 55. E. 30. lks.
Land. low. Barren & Brushy. Timber. Oak. Hick. & Poplar.

West On the Town line of Sec. 32. T. 5. S. R. 11. W. 2nd Mer.

T. N. 5. S. R. N. M. W. 2nd Mer.

39. 50 To a Branch 40. lbs. wide. Course. S. 45. W.
 40. 00 Set the Post for the Cor. to 1/4 Sec. in the Branch - lbs. wide
 Course S. 60. W. from which Ash 12. in. diam. bears S. 43.
 W. 28. lbs. dist. & a Hoopwood 8. in. bears S. 47. E. 69. lbs. dist.
 79. 35 To a Branch 20. lbs. wide Course S. 20. lbs.
 80. 00 Set a Mile Post. from which a W. Oak 15. in. diam. bears
 N. 73. W. 5. lbs. dist. & a W. Oak 22. in. diam. bears S. 46.
 E. 19. lbs. dist. See Ridgway's some Bottom on the Branches
 Timber. Oak & Hickory.

- West On the Town line of Sec. 31. T. 5. S. R. N. M.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 24.
 in. diam. bears S. 81. W. 44. lbs. dist. & a W. Oak 16. in. diam.
 bears N. 4. W. 22. lbs. dist.
 45. 50 To a Branch 8. lbs. wide. Course S. 25. E.
 72. 00 To a Branch 6. " " " S. 30. E.
 113. 88 Intersected the N. Y. line 470. lbs. N. of the Post.

Jan^y 10th 1806.

- West Between Towns 5. & 6. A Random line run the 5. & 9 of Jan^y 1806.
 & intersected 470. lbs. N. of the Post.
 The West Range line is run from Mr. Rector's Cor. which
 stands 34. 60. W. of the Intersection of the Vincennes line -
 This line I found all. Ridgway Runs. Jan^y 9th 1806

- North Between Secs? 35. & 36. T. N. 5. S. R. N. M.
 25. 00 To a B. Oak 22. in. diam. which stands in the line.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a Maple 12. in.
 diam. bears N. 25. W. 12. lbs. dist. & a Maple 12. in. diam.
 bears S. 42. W. 12. lbs. dist.
 42. 50 To a Branch 8. lbs. wide; Course E.
 59. 88 To a Hickory 18. in. diam. which stands in the line
 75. 50 To a Branch 6. lbs. wide; Course E.
 80. 00 To the Mile Post. Cor. of Secs? 25. 26. 35. & 36. from which a
 B. Oak 10. in. diam. bears N. 64. W. 3. lbs. dist. & a B. Oak 16.
 in. diam. bears S. 18. E. 17. lbs. dist. - This line is Bottom &

T. N. 5. S. R. N. 11. W. 2nd Mer.

upland; some wet; Timber. Oak. & Hickory; & some Maple.

East Between Sec? 25. & 36. T. 5. S. R. N. 11. W. 2nd Mer.

16. 50. Through wet Bottom.

10. 00 To a Branch 20. lbs. wide; course E

38. 75 To the Post Road.

39. 75. Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 12. in. diam? bears S 80. E. 59. lbs. dist. & a Gum 13. in. diam? bears N 80. 30 W. 40. lbs. dist

43. 75 To a Branch 25. lbs. wide; course S 50. W.

79. 50 Hit the N. & E. line at the Post set for the Cor. to Sec? 25. & 36. Some Ridges. Timber. Oak. & Hickory; some Gum.

North Between Sec? 34. & 35. T. 5. S. R. N. 11. W.

26. 00 To a W. Oak 14. in. diam? which stands in the line.

36. 50 To a Branch 15. lbs. wide. course S 40. E.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 8. in. in diam? bears N. 26. W. 11. lbs. dist. & a W. Oak 12. in. diam? bears S 38. E. 32. lbs. dist

80. 00 To the mile post set for the Cor. of Sec? 26. 27. 34 & 35. from which a W. Oak 40. in. diam? bears East 10 lbs. dist. & a W. Oak 22. in. diam? bears N. 57. W. 47. lbs. dist

This line is low Brushy Ridges. some Bottom Land on the Branch. Timber. Oak. & Hickory.

East Between Sec? 26. & 35. T. 5. S. R. N. 11. W. 2nd Mer.

14. 80 To a Branch 16. lbs. wide; course S 10. E.

6. 00 To a Branch 6. " " " S 20. W.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 12. in. diam? bears S 3. E. 20. lbs. dist. & a B. Oak in. diam? bears N 56. W. 50. lbs. dist

74. 00 To a Branch 4. lbs. wide. course S

80. 00 Intersected the N. & E. line at the Post for the Cor. to Sec? 25. 26. 35 & 36. The Land on this line is Ridges. some Bottom on the Branches. Timber. Oak. & Hickory.

T. N. 5. S. Co. N. M. W. 2nd Nov.

North Between Sec. 25. & 26. T. 5. S. Co. N. M. W.

75. 00 To a Red Oak 20. in. diam. which stands in the line.

39. 50 To a Branch 12. th. wide. Course S. 20. W.

40. 00 To a Post for the Cor. to 1/4 Sec. from which an R. Oak 16. in. diam. bears N. 18. W. 50. lbs. dist. & an Ash 10. in. diam. bears S. 70. E. 21. lbs. dist.

48. 28 To an R. Oak 20. in. diam. stands in the line.

80. 00 To the mile post set for the Cor. to Sec. 23. 24. 25. & 26. from which an R. Oak 34. in. diam. bears N. 86. W. 37. lbs. dist. & a W. Oak 20. in. diam. bears N. 52. E. 80. lbs. dist.

The first 50 ch. is not Bottom - Thin low ridges
Timber. Maple. Elm. Gum. Oak. in the ridges.

North Between Sec. 33. & 34. T. 5. S. Co. N. M. W.

00. 30 To a Branch 8. lbs. wide. Course E.

19. 38 To a Branch 6. " " " E.

19. 66 To a Hickory 18. in. diam. which stands in the line.

40. 00 To a Post for the Cor. to 1/4 Sec. from which a R. Oak 20. in. diam. bears S. 43. W. 54. lbs. dist. & a R. Oak 21. in. diam. bears N. 24. E. 55. lbs. dist.

118. 14 To a R. Oak 22. in. diam. which stands in the line.

56. 88 To a Branch 4. lbs. wide. Course E.

63. 12 To a R. Oak 33. in. diam. stands in the line.

80. 00 To the mile post set for the Cor. to Sec. 26. 27. 33. & 34. from which a W. Oak 14. in. diam. bears S. 9. E. 95. lbs. dist. & a W. Oak 14. in. diam. bears S. 8. W. 105. lbs. dist.

Low Oak. & Hickory Ridges.

East Between Sec. 27. & 34. T. 5. S. Co. N. M. W.

21. 38 To a Branch 6. lbs. wide. Course N.

40. 00 To a Post for the Cor. to 1/4 Sec. from which a Gum 14. in. diam. bears S. 44. W. 24. lbs. dist. & an R. Oak 36. in. in diam. " S. 6. W. 41. lbs. dist.

144. 00 To a Branch 12. Course S. 20. E.

80. 00 Intersecting the N. & S. line at the Post for the Cor. to Sec. 26. 27. 34. & 35. Low & Brushy Ridges. Oak & Hick. Jan. 20. 1806

T. N. 5. S. R. N. 11. W. 2nd Mer.

North Between Che? 26. & 27. T. 5. S. R. N. 11. W.

11. 50 To a Branch 10. lks. wide. Course S. 35. E.

40. 00 Set a Post for the Cor. to 44 Che. from which a W. Oak 18. in? in diam? bears N. 45. E. 9. lks. dist? & a W. Oak 20. in? diam? bears N. 68. W. 7. lks. dist?

60. 80 To a B. Oak 22. in? diam? stands in the line.

81. 00 Set a Mile post for the Cor. to Che? 22. 33. 26. & 27. from which a W. Oak 14. in? diam? bears S. 58. W. 14. lks. dist? & a W. Oak 12. in? diam? bears S. 41. E. 38. lks. dist?— This line is mostly Bottom; Timber. Oak. & Maple. Elm & Gum.

North Between Che? 32. & 33. T. N. 5. S. R. N. 11. W.

9. 00 To a Branch 3. lks. wide. Course W.

36. 35 To a W. Oak 22. in? diam? which stands in the line.

40. 00 Set a Post for the Cor. to 44 Che. from which a W. Oak 18. in? in diam? bears N. 39. W. 8. lks. dist? & a W. Oak 13. in? diam? bears N. 10. E. 13. lks. dist?

59. 50 To a Branch 10. lks. wide. Course W.

71. 75 To a Branch 12. " " " S. 15. W.

81. 00 To the Mile post set for the Cor. to Che? 28. 29. 32. & 33 from which a Gum 12. in? diam? bears N. 60. E. 6. lks. dist? & a Gum 13. in? diam? bears N. 82. W. 15. lks. dist?

Low Ridges. Timber. Brush Oak. & Hickory.

East Between Che? 28. & 33. T. 5. S. R. N. 11. W.

7. 00 To a Branch 10. lks. wide. Course S. 20. W.

40. 00 Set a Post for the Cor. to 44 Che. from which a Cherry tree 7. in? diam? bears S. 34. W. 21. lks. dist? & a B. Oak 22. in? diam? bears N. 54. W. 53. lks. dist?

76. 62 To a Branch 5. lks. wide. Course N.

81. 00 Intersected the N. & S. line at the post. Cor. of Che? 27. 28. 33. & 34. Low Ridges. some Brush Oak. & Hickory, Gum &c.

North Between Che? 27. & 28. T. 5. S. R. N. 11. W.

8. 25 To a Branch 10. lks. wide. Course E.

16. 62 To a Branch 10. " " " S. 40. E.

T. N 5. S. B. N 11. W. 2nd Ave.

19. 50 To a Poplar. 33. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 22. in. diam. bears S. 2. W. 23. lbs. dist. & a W. Oak 20. in. diam. bears N. 86. E. 10. lbs. dist.
 58. 50 To a Branch 5. lbs. wide. Course E.
 63. 78 To a B. Oak 22. in. diam. which stands in the line.
 80. 00 To the Mile Post Cor. of Sec. 21. 22. 27. & 28. from which a W. Oak 22. in. diam. bears S. 32. W. 60. lbs. dist. & a W. Oak 14. in. diam. bears N. 1. E. 25. lbs. dist. — Ridges. & some Rocks. Timber. Oak. & Hickory some poplar.

- North Between Sec. 31. & 32. T. 5. S. B. N 11.
 5. 00 To a Branch 12. lbs. wide. Course S. 20. E.
 10. 20 To an O. Oak 20. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 15. in. diam. bears N. 73. E. 21. lbs. dist. & a W. Oak 16. in. diam. bears N. 65. 30 W. 20 lbs. dist.
 75. 18 To a Hickory 14. in. diam. which stands in the line.
 80. 00 To the Mile Post set for the Cor. to Sec. 29. 30. 31. & 32. from which a B. Oak 21. in. diam. bears S. 57. W. 55. lbs. *
* 2 1/2 Sec. 10 in. N. 21. E. 53. lbs.
 dist. This line is some Ridges. & some Bottom on the Branch. Timber. Oak. Hickory & some Dogwood.

- West Between Sec. 30. & 31. T. 5. S. B. N 11. W.
 34. 00 To a B. Oak 24. in. diam. stands in the line.
 38. 75 To a Branch 3. lbs. wide. Course S. 20. E.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Gum 10. in. diam. bears N. 74. E. 17. lbs. dist. & a Gum 9. in. diam. bears S. 27. E. 10. lbs. dist.
 100. 00 To a W. Oak 30. in. diam. stands in the line.
 100. 25 To a Branch 10. lbs. wide. Course S. 50. W.
 113. 38 Intersected the N. & S. line 158. lbs. S. of the Post. Cor. of Sec. 30. & 31. Set a Post. from which a W. Oak. 14. in. in diam. bears S. 47. E. 32. lbs. dist. & a Hickory 16. in. diam. bears N. 56. E. 16. lbs. dist. Low. Ridges. Timber B. Oak. & Hickory. & some W. Oak.

T. A. S. I. Co. N. M. W. 2nd Nov.

- East Between Sec? 29 & 32. T. A. S. I. Co. N. M. W.
 23. 50 To a Branch 35 lbs. wide. Course S. 20. W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Hickory
 S. 21. W. 7. lbs. dist. & a Oak 15. in? bears N. 6. E. 11. lbs. dist.
 50. 00 Intersecting the N. & S. line 10. lbs. N. of the post Cor. of Sec?
 28. 29. 32. & 33. Low Ridges some Bottom on the Branch.
 Timber. Oak. Hickory & Poplar. Jan? 21st. 1806.

- North. Between Sec? 28 & 29. T. A. S. I. Co. N. M. W.
 8. 00 To a W. Oak 14. in? diam? which stands in the line.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 12.
 in? diam? bears S. 50. W. 22. lbs. dist? & a W. Oak 20. in? in
 diam? bears N. 26. E. 31. lbs. dist?
 51. 25 To a W. Oak. 18. in? diam? stands in the line.
 57. 00 To a Branch 10. lbs. wide Course S. 60. W.
 50. 00 To the Mile post Cor. of Sec? 20. 21. 28. & 29. from which
 an I. Oak 14. in? diam? bears N. 57. E. 26. lbs. dist? & an
 Elm 10. in? diam? bears S. 40. E. 19. lbs. dist?
 This line is low Ridges some Bottom on the Branch,
 & at the mile post; Timber Oak & Hickory. Elm. & Sycamors.

- North Between Sec? 29 & 30. T. A. S. I. Co. N. M. W.
 15. 00 To a Branch 6. lbs. wide, Course N. 35. E.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which an Elm 10. in?
 diam? bears N. 1. E. 18. lbs. dist? & an Elm 10. in? diam?
 bears S. 6. E. 49. lbs. dist?
 113. 75 To a Branch 25. lbs. wide. Course S. 30. E.
 55. 50 To a Do 10. " " " S. 40. E.
 80. 00 To the Mile post Cor. of Sec? 19. 20. 29. & 30. from which
 a B. Oak 27. in? diam? bears N. 82. W. 33. lbs. dist? & a
 B. Oak 20. in? diam? bears S. 45. W. 19. lbs. dist?
 Low Ridges. Timber. W. & B. Oak. Good Land for Wheat &c.

- East Between Sec? 20 & 29. T. A. S. I. Co. N. M. W.
 15. 62 To a Branch 10. lbs. wide Course S. 20. W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 24

T. S. S. Co. N. M. W. 2nd Mer.

in? diam? bears N 74. 30. W 48. lks. dist? & a Dogwood 7. in?
diam? bears N. N. E. 13. lks. dist?.

51. 00 To a Branch 4. lks. wide. Course S. 30. E.
78. 12. To a Branch 6. " " " S. 20. E.
79. 50 To a " 12. " " " S. 30. W.
80. 00 Intersected the N. & S. line at the Port Cor. to Sec?
20. 21. 28. & 29. — Low Ridges. Timber. Oak & Hickory.
-

East Between Sec? 21. & 28. T. S. S. Co. N. M. W.

46. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 20.
in? diam? bears N 32. W. 44. lks. dist? & a B. Oak 22. in?
diam? bears S. 25. W. 33. lks. dist?
80. 00 Intersected the N. & S. line. 30. lks. N. of the Port. Cor. to
Sec? 21. 22. 27. & 28. — Low B. & W. Oak Ridges.
some Hickory; Good Land for Wheat.
-

East Between Sec? 22. & 27. T. S. S. Co. N. M. W. 2nd Mer.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 12.
in? diam? bears N 61. W. 15. lks. dist? & a W. Oak 14. in? diam
bears S. 6. W. 22. lks. dist?
63. 50 To a Branch 20. lks. wide. Course S.
80. 00 Intersected the N. & S. line at the Port set for the Cor. to Sec?
22. 23. 26. & 27. Land. Hilly. Timber. Oak. Poplar.
Sugar. & Hickory.
-

East Between Sec? 23. & 26. T. S. S. Co. N. M. W.

39. 90 Set a Post for the Cor. to 1/4 Sec. from which an B. Oak 33.
in? diam? bears N 33. W. 31. lks. dist? & a W. Oak 12. in? in
diam? bears N 15. W. 14. lks. dist?
75. 00 To a Branch 10. lks. wide. Course S. 20. W.
76. 00 To a " 10. " " " S. 30. W.
79. 80 Intersected the N. & S. line 30. lks. S. of the Port. set
for the Cor. to Sec? 23. 24. 25. & 26. Ridges. Some
Bottom on the Branches. Timber. Oak & Hickory.
-

East Between Sec? 24. & 25 T. S. S. Co. N. M. W.

T. 5. S. R. N. M. W. 2nd Mer.

38. 38 To a Branch 4. lks. wide. Course N 50. E.
 39. 90 Set a Post for the Cor. to 1/4 Sec. from which an Oak 14. in.
 diam. bears S. 47. W. 17. lks. dist. & a W. Oak 6. in. diam. bears
 N 15. W. 25. lks. dist.
 111. 00 To a Branch 12. lks. wide Course S.
 56. 00 To the Post Road.
 79. 80 Intersected the N. & S. line 75. lks. N. of the Post Cor. of Sec.
 24. & 25. Low Ridges. some wet Bottom on the Branches.
 Timber. Oak. Elm. Gum & Maple & Hickory.
-

- North Between Sec. 23. & 24. T. 5. S. R. N. M. W.
 21. 00 To a B. Oak 21. in. diam. stands in the line
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Dogwood 7. in.
 diam. bears N. 34. 30. W. 29. lks. dist. & a B. Oak 12. in. in
 diam. bears. N 61. E. 50. lks. dist.
 66. 50 To a B. Oak 20. in. diam. which stands in the line.
 80 00 To the mile post set for the Cor. to Sec. 13. 14. 23. & 24. from
 which a B. Oak 12. in. diam. bears N 55. E. 66. lks. dist.
 & a W. Oak 13. in. diam. bears S. 73. W. 51. lks. dist.
 This mile is Low Ridges; Timber. Oak & Hickory.
-

- North Between Sec. 22. & 23. T. 5. S. R. N. M. W.
 7. 00 To a Branch 4. lks. wide; Course S. 40. W.
 26. 25 Then a W. Oak 20. in. diam. stands in the line.
 46. 00 Set a Post for the Cor. to 1/4 Sec. from which a Dogwood 10. in.
 diam. bears N 13. E. 28. lks. dist. & a W. Oak 12. in. diam.
 bears N. 75. W. 14. lks. dist.
 56. 00 To the mile post Cor. to Sec. 14. 15. 22. & 23. from which a
 W. Oak 12. in. diam. bears S. 73. W. 32. lks. dist. & a W. Oak.
 16. in. diam. bears N. 34. W. 27. lks. dist. Land. Hilby.
 Timber. Oak. & Hickory. same Dogwood Jan. 22. 1806.
-

- North Between Sec. 21. & 22. T. 5. S. R. N. M. W.
 1. 12 To a Branch 3. lks. wide. Course E.
 30. 65 To an O. Oak 14. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Cherry tree 12.

T. N 5. S. R. N 11. W. 2nd Mer.

inl. diam. bears S. 15. W. 9. lbs. dist. To W. Oak 21 in. in
diam. bears N. 41. W. 75. lbs. dist.

55. 88 To a Branch 3. lbs. wide. Course S. 40. W.

67. 60 To a Poplar 15. in. diam. stands in the line.

80. 00 To the mile Post for the Cor. to Sec. 15. 16. 21. & 22.

from which a W. Oak 12. in. diam. bears N. 30. W. 36. lbs.

dist. To an Oak 10. in. diam. bears N. 82. E. 29. lbs. dist.

Low Ridges. Timber. Oak. & Hickory. Poplar & Dogwood.

North Between Sec. 20. & 21. T. 5. S. R. N 11. W.

00 50 To a Branch 12. lbs. wide Course S. 20. W.

120. 00 To a Branch 6. " " " S. 20. E.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 24. in.
diam. bears N. 88. E. 47. lbs. dist. To a W. Oak 13. in. diam.
bears S. 8. E. 24. lbs. dist.

67. 94 To a W. Oak 18. in. diam. which stands in the line

79. 12 To a Branch 4. lbs. wide. Course N. 40. W.

80. 00 To the mile Post for the Cor. to Sec. 16. 17. 20. & 21 from which
an Oak 21. in. diam. bears N. 35. W. 16. lbs. dist. To an Oak
10. in. diam. bears S. 68. W. 49. lbs. dist.

Low Ridges. Some Bottom on the Branches.

West Between Sec. 19. & 30. T. 5. S. R. N 11. W.

10. 12 To a Branch 16. lbs. wide. Course S. 20. E.

31. 12 To a P. 6. " " " S. 30. E.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 16.
in. diam. bears S. 23. W. 38. lbs. dist. To a Cherry 6. in. in
diam. bears S. 75. E. 15. lbs. dist.

57. 00 To a W. Oak 20. in. diam. which stands in the line.

78. 00 To a Branch 8. lbs. wide. Course S. 40. W.

114. 00 Intersected the N. & S. line at the Post set for the Cor. to Sec.

19. & 30. & set a Post ~~200 yds. dist.~~ South. from which a

Poplar 7. in. diam. bears N. 12. E. 28. lbs. dist. To Dogwood

6 in. diam. bears S. 24. E. 13. lbs. dist. Low Ridges.

Timber. Oak. & Hickory.

T. N. 5. S. R. N. 11. W. 2nd Mer.

- North Between Sec. 19. & 20. T. 5. S. R. N. 11. W.
 5 70 To a B. Oak 27 in. diam. which stands in the line.
 35. 00 To a Branch 5 lbs. wide. Course W.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 22 in. in diam. bears N 24. E. 45. lbs. dist. & a B. Oak 18 in. diam. bears N. 45. W. 50. lbs. dist.
 52. 00 To a Branch 6 lbs. wide. Course, W.
 80. 00 To the Mile Post set for the Cor. to Sec. 17. 18. 19. & 20. from which a W. Oak 20 in. diam. bears S. 33. E. 32. lbs. dist. & a W. Oak 22 in. diam. bears S. 49. W. 30. lbs. dist.
 Gen. Ridges. Timber. Oak. & Hickory. Good for wheat.

- West Between Sec. 18. & 19. T. 5. S. R. N. 11. W.
 9. 00 To a Branch 3 lbs. wide. Course S. 20. E.
 35. 75 To a Branch 4. " " " S. 40. W.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 12 in. diam. bears S 43. W. 11. lbs. dist. & a W. Oak 12 in. diam. bears N. 31. W. 8. lbs. dist.
 52. 00 To a W. Oak 14 in. diam. stands the Cor. to 1/4 Sec.
 87. 20 To a Branch 15 lbs. wide. Course S. 25. W.
 114. 12 Intersected the N. & S. line 366 lbs. S. of the Post, and set a Post, from which a Gum 12 in. diam. bears S 39. E. 22. lbs. dist. & a Gum 14 in. diam. bears N 46. E. 37. lbs. dist.
 Hilky Sand; Timber. Oak. & Hickory.

- East Between Sec. 17. & 20. T. N. 5. S. R. N. 11. W.
 10. 00 Set a Post for the Cor. to 1/4 Sec. from which an O. Oak 18 in. diam. bears S 77. E. 26. lbs. dist. & a Hickory 10 in. diam. bears N. 4. W. 20. lbs. dist.
 110. 50 To a Branch 6 lbs. wide; Course N.
 73. 88 To a Do. 7. " " " N.
 80. 00 Intersected the N. & S. line 20 lbs. N. of the Post.
 Gen. Ridges. Timber. Oak. & Hickory. Good Sand for Wheat.

- East Between Sec. 16. & 21. T. N. 5. S. R. N. 11. W.
 34. 50 To a Branch 3 lbs. wide; Course N.

T. No 5. S. Co. No 11. W. 2nd Mer.

210. 00 Set a Post for the Cor. to 14th St. from which a W. Oak 20 in? diam? bears N. 53. E. 26 lbs. dist? & a Maple 8. in? diam? bears N. 54. W. 13. lbs. dist?
80. 00 Intersected the N. & S. line at the Post set for the Cor. to St. 15. 16. 21. & 22. Low. Ridges. Timber. Oak. & Hickory.

- East Between St. 15. & 22. T. No 5. S. Co. No 11. W.
8. 50 To a Branch 5. lbs. wide. Course N.
40. 00 Set a Post for the Cor. to 14th St. from which a Gum 10 in? diam? bears S. 35. W. 4. lbs. dist? & an Ash 8. bears N. 22. E. 15 lbs. dist?
80. 00 Intersected the N. & S. line at the Post set for the Cor. to St. 14. 15. 22. & 23. Sand & Hilley. Timber. Oak. & Hickory.
- June 23^d. 1806.

- East Between St. 14. & 23. T. 5. S. Co. No 11. W.
6. 62 To a Branch 2. lbs. wide. Course S. 30. E.
40. 10 Set a Post for the Cor. to 14th St. from which a W. Oak 26. in? diam? bears N. 47. E. 18. lbs. dist? & a Poplar 7 in? diam? bears S. 22. W. 14. lbs. dist?
47. 25 To a Branch 6. lbs. wide. Course S.
74. 62 To a " 5. " " " S. 20. W.
80. 20 Intersected the N. & S. line 50. lbs. N. of the Post set for the Cor. to St. 13. 14. 23. & 24. Sand & Ridgely Timber. Oak. &c.

- East Between St. 13. & 24. T. 5. S. Co. No 11. W.
47. 75 To a Branch 4. lbs. wide. Course S.
40. 00 Set a Post for the Cor. to 14th St. from which a B. Oak 18. in? diam? bears N. 46. E. 24 lbs. dist? & an Ash 8. in? diam? bears N. 28. W. 6. lbs. dist?
46. 00 To a Branch 6. lbs. wide. Course S.
53. 75 To the Post Road.
80. 00 Intersected the N. & S. line at the Post set for the Cor. to St. 13. & 24. Low Sand. Timber. W. & B. Oak. & some Hickory.

- North Between St. 13. & 14. T. 5. S. Co. No 11. W.
5. 00 To a Branch 2. lbs. wide. Course S. 35. E.

T. N. 5. S. R. N. M. W. 2nd Mer.

20. 75 To a W Oak 16 in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W Oak 14 in. diam. bears N. 18. W. 18 lbs. dist. & an Ash 22 in. diam. bears N. 40. W. 15 lbs.
 42. 00 To a Branch 12. course N. 40. E. 12 lbs. wide.
 66. 12 To a B Oak 24 in. diam. stands in the line.
 75. 12 To a Branch 4 lbs. wide. Course E.
 80. 00 To the mile Post set for the Cor. to Sec. 10. M. 14. & 15. from which a B Oak 28 in. diam. bears S. 82. W. 19 lbs. dist. & a B Oak 6 in. diam. bears N. 77. E. 20 lbs. dist. Hilley Land.
 Timber. Oak. & Hickory

- North Between Sec. 15. & 16. T. 5. S. R. N. M. W.
 13. 00 To a Branch 6 lbs. wide Course E.
 28. 50 To a Gum 20 in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Mulberry 7 in. in diam. bears N. 46. W. 17 lbs. dist. & a W Oak 6 in. diam. bears N. 79. E. 7 lbs. dist.
 58. 25 To a Branch lbs. wide. Course N. 30. E.
 69. 50 To an Elm 22 in. diam. stands in the line.
 73. 25 To a Branch 15 lbs. wide; Course N. 20. W.
 80. 00 To the mile Post set for the Cor. to Sec. 3 from which an Elm 12 in. diam. bears N. 15. E. 21 lbs. dist. & a Gum 10 in. diam. bears S. 77. E. 25 lbs. dist. Low Ridges: Timber. Oak. & Elm. Maple. some Bottom on the Branches. * 9. 10. 15. & 16.

- North Between Sec. 16. & 17. T. 5. S. R. N. M. W.
 10. 38 To a B Oak 20 in. diam. which stands in the line.
 17. 25 To a Branch 7 lbs. wide. Course W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a B Oak 30 in. diam. bears N. 86. E. 35 lbs. dist. & a Hickory 14 in. diam. bears N. 5. W. 43 lbs. dist.
 51. 00 To a Branch 10 lbs. wide. Course W.
 69. 38 To a Sec. 6. " " " W.
 80. 00 Set the Mile Post for the Cor. to Sec. 8. 9. 16. & 17. from which a W Oak 18 in. diam. bears S. 28. W. 44 lbs. dist. & a W Oak 36 in. diam. bears S. 5. E. 47 lbs. dist. Low Ridges. Timber. *Comp*

T. N. 5. S. R. N. M. W. 2nd Mer.

Oak & Hickory. Land. Good for Wheat.

- North Between Sec? 17 & 18. T. 5. S. R. N. M. W.
00. 30 To a Branch 20. lks. wide; Course W.
26. 75 To a Branch 3. lks. wide. Course N. 30. E.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 20. in? diam? bears N 79. W. 2 1/4 lks. dist? & a W. Oak 2 1/4 in? diam? bears S. 26. W. 2 1/4 lks. dist?
- 1 1/4. 62 To a Branch 4. lks. wide. Course N. 20. W.
80. 00 To the Mile Post set for the Cor. to Sec? 7. 8. 17. & 18. from which a H. Locust 14. in? diam? bears N. 72. E. 6 1/2 lks. dist? & a Dogwood 12. in? diam? bears S. 25. E. 3 1/2 lks. dist?
- Land. Hilly. Timber. Oak & Hickory.

- West Between Sec? 7. & 18. T. 5. S. R. N. M. W. 2nd Mer.
13. 00 To a Branch 15. lks. wide; Course N.
16. 50 To a D. 3 - - - N. 30. E.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Hickory 12. in? diam? bears S. 37. E. 2 1/2 lks. dist? & a Dogwood 12. in? diam? bears N. 60. W. 16. lks. dist?
70. 60 W. Oak 24. in? diam? stands in the line
75. 00 To a Branch 5. lks. wide. Course N. 25. E.
114. 12 Intersected the N. & S. line 3. 75. lks. - of the Post. & set a Post. from which a Dogwood 6. in? diam? bears N. 35. E. 1 1/2 lks. dist? & a Hickory 13. in? diam? bears S. 66. E. 38. lks. dist?
- Land. Hilly. Timber. Oak & Hickory.

- East Between Sec? 8 & 17. T. 5. S. R. N. M. W.
28. 50 M. 50. To Bottom Wet Land.
35. 00 To a Branch 20. lks. wide. Course N.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 22. in? diam? bears N. 36. W. 6 1/2 lks. dist? & a W. Oak 12. in? diam? bears S. 32. W. 32. lks. dist?
54. 00 To a Branch 6. lks. wide. Course N. 30. W.
80. 00 Intersected the N. & S. line. at the Post for the Cor. to Sec? 8. 9. 16. & 17. Low. Ridges. Timber. Oak & Hickory.

T. N. 5. S. R. N. 11. W. 2nd Mer.

- East Between Sec. 9. & 16. T. 5. S. R. N. 11. W. Jan^y 21st 1806.
 26. 50 To a Branch 10. lks. wide. Course N.
 40. 00 Set a post for the Cor. to 1/4 Sec. from which a B. Oak 28. in.
 diam. bears S. 57. E. 26. lks. dist. & a B. Oak 26. in. diam.
 bears S. 24. E. 31. lks. dist.
 79. 00 To a Branch 15. lks. wide. Course N. 30. W.
 80. 00 Intersected the N. & S. line at the Post set for the Cor. to Sec.
 9. 10. 15. & 16. Low Ridges. Timber. B. Oak. & Hickory
-

- East Between Sec. 10. & 15. T. 5. S. R. N. 11. W.
 110. 20 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 20 in.
 diam. bears N. 81. E. 26. lks. dist. & a B. Oak 22. in. diam.
 bears N. 48. E. 48. lks. dist.
 52. 00 To a Branch 4 lks. wide. Course N. 20. W.
 80. 40 Intersected the N. & S. line ^{at Cor. of 5th} 10. 11. 14. & 15. Low Ridges.
 Some Barrens. Timber. Oak. & Hickory
-

- East Between Sec. 11. & 14. T. 5. S. R. N. 11. W.
 37. 50 To a Branch 12. lks. wide. Course N. 30. W.
 88. 50 To a Do. 6. lks. " " S. 45. W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 7. in.
 diam. bears N. 78. E. 12. lks. dist. & a Cherry 10. in. diam. bears
 S. 64. W. 25. lks. dist.
 110. 75 To a Branch 6. lks. wide. Course S. 40. W. Sand level &
 Brushy Part Wet. Timber. Oak. & Hickory. Part Barrens.
-

- East Between Sec. 12. & 13. T. N. 5. S. R. N. 11. W.
 10. 00 To a Branch 6. lks. wide Course N. 45. E.
 110. 06 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 10 in.
 diam. bears S. 88. W. 56. lks. dist. & a B. Oak 8. in. diam.
 bears S. 81. E. 31. lks. dist.
 69. 50 To the Post Road.
 80. 12 Intersected the N. & S. line 10. lks. N. of the post set for the
 Cor. to Sec. 12. & 13. Low B. Oak. & Hickory Ridges.
 Good Land for Wheat.
-

T. N. 5. S. Co. N. M. W. 2nd Mer.

diam? bears N. 31. E. 19. lks. dist? & a B. Oak 26. in? diam? bears
N. 28. W. 31. lks. dist?

58. 58 To a Branch 12. lks. wide course N. 45. W.
75. 45 To a Hickory 16. in? diam? stands in the line.
80. 00 To the mile Post set for the Cor. to Sec? 4, 5, 6, 7 & 9. from which
a B. Oak 18. in? diam? bears S. 23. E. 14. lks. dist? & a W. Oak 13. in?
diam? bears N. 49. E. 56. lks. dist? ~ Low Ridges. some Bottom
Land on the Branch. Timber. Oak. Elm. Maple. & Hickory.

North Between Sec? 7. & 8. T. 5. S. Co. N. M. W. Jan^y 25th 1806.

13. 50 To a Branch 15. lks. wide. Course N. 5. E.
34. 50 To a Do. 16. " " " N. 70. E.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Gum 12. in?
diam? bears N. 25. E. 48. lks. dist? & an Elm 10. in? diam? bears
S. 6. E. 24. lks. dist?
53. 50 To a Branch. 6. lks. wide. Course E.
59. 50 To a Do. 5 " " " E.
80. 00 To the Mile Post for the Cor. of Sec? 5, 6, 7, & 8. from which a
B. Oak 36. in? diam? bears N. 43. W. 28. lks. dist? & a Hickory 20.
in? diam? bears N. 26. E. 41. lks. dist? This line is Low
Ridges. & some Bottom on the Branches. Timber. Oak. & Hickory.

West Between Sec? 6. & 7. T. N. 5. S. Co. N. M. W.

15. 62 To a B. Oak 36. in? diam? stands in the line.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Hickory 13. in?
diam? bears N. 7. W. 6. lks. dist? & a Do. 7. in? diam? bears S. 8. 1/2
E. 34. lks. dist?
75. 52 To a B. Oak 24. in? diam? which stands in the line.
103. 50 To the Branch 5. lks. wide. Course N.
113. 85 Intersected the N. & S. line 4.37. lks. S. of the Post set for the
Cor. to Sec? 6 & 7. & set a Post from which a W. Oak 18. in? diam?
bears S. 64. E. 42. lks. dist? & a Gum 9. in? diam? bears N. 28. E. 3 1/2
lks. dist? Low Ridges. Timber. Ark. Gum. & Hick? Good for wheat.

North Between Sec? 5. & 6. T. 5. S. Co. N. M. W.

34. 12 To a Branch 3. lks. wide. Course N. 45. E.

T. N. 5. S. R. N. M. W. 9th Mer.

40. 00 Set a Post for the ber. to 1/4 Sec. from which an Elm 10. in? in diam? bears N. 29. E. 24. lbs. dist? & a Gum 10. in? diam? bears S. 37. W. 15. lbs. dist?
65. 00 To an R. Oak 24. in? diam? stands in the line
84. 20 Intersected the Range line 240. lbs. E. & set a Post, from which an Elm 14 in? diam? bears S. 34. W. & a R. Oak 6. in? diam? bears S. 39. E. 15. lbs. dist? The Land on this side is hard, Part Wet. Timber. Oak. Maple. Elm & Hickory.

- East Between Sec? 5. & 8. T. 5. S. R. N. M. W.
36. 00 To a Branch 20. lbs. wide; course N.
40. 00 Set a Post for the ber. to 1/4 Sec. from which a Dogwood 8. 10. in? diam? bears S. 37. E. 35. lbs. dist? & a Sassafras 8. in? diam? bears N. 40. E. 24. lbs. dist?
73. 50 To a Branch 10. lbs. wide; course N. 30. W.
80. 00 Intersecting the N. & S. line 10. lbs. N. of the Post. The first. 30. ch? is unplanted. Then into Bottoms; Timber. Oak. Elm & Maple.

- North Between Sec? 4. & 5. T. 5. S. R. N. M. W.
10. 88 To a Branch 4. lbs. wide; course W.
29. 50 To a R. Oak 20. in? diam? stands in the line.
40. 00 Set a Post for the ber. to 1/4 Sec. from which an R. Oak 6. in? diam? bears N. 17. E. 17. lbs. dist? & an R. Oak 10 in? diam? bears S. 29. W. 40. lbs. dist?
79. 70 To an R. Oak 13. in? diam? which stands in the line.
88. 12 Intersecting the Range line 267. lbs. E. of the Post. & set a Post, from which a R. Oak 6. in? diam? bears S. 63. W. 39. lbs. dist? & an R. Oak 6. in? diam? bears S. 6. E. 67. lbs. dist?
- Good Land; Part Wet. Timber. Oak. & Elm & Maple.

- East Between Sec? 4. & 9. T. 5. S. R. N. M. W.
29. 38 To a Branch 6. lbs. wide; course N.
40. 00 Set a Post for the ber. to 1/4 Sec. from which an R. Oak 14 in? in diam? bears S. 31. W. 2. lbs. dist? & a W. Elm 15. in? diam? bears S. 53. W. 25. lbs. dist?
80. 00 Intersecting the N. & South line at the Post set for the ber. to sec? 3. 4. 9. 10.

T. N. 5. S. R. N. 11. W. 2nd Mer.

Land last. & Met. Post Barrens. Timber. Oak. Elm & Maple.

North Between Sec. 3. & 4. T. N. 5. S. R. N. 11. W.

6. chains through met. Land.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which an R. Oak 6. in? in diam? bears S. 65. W. 10. lbs. dist. & an R. Oak 6. in? diam? bears

N. 10. E. 7. lbs. dist.

82. 00 Intersected the Range line 136. lbs. E. of the Post. & set a Post. from which a B. Oak 6. in? diam? bears S. 113. E. 103. lbs. dist.

& an R. Oak 5. in? diam? bears S. 5. W. 125. lbs. dist.

Land last. Post Barrens. Timber. Oak. & Hickory.

East Between Sec. 3. & 10. T. 5. S. R. N. 11. W.

13. 00 To a Branch 25. lbs. wide; course N.

38. 00 To a Branch 6. lbs. wide. course N.

40. 15 Set a 1/4 Sec. Post from which a Gum 12 in? diam? bears N. 86. E. 25. lbs. dist. & a Gum 10. in? diam? bears S. 83. W. 37. lbs. dist.

80. 30 Intersected the N. & S. line at the Post set for the Cor. to Sec. 2. 3. 10. & 11. The first 35. chains is met Bottom. Then Low. Bridges. Timber. Oak. Elm. & Maple.

North Between Sec. 2. & 3. T. 5. S. R. N. 11. W.

13. 16 To a B. Oak 33. in? diam? which stands in the line

40. 00 Set a B. Oak. for the Cor. to 1/4 Sec. from which a S. Oak 27. in? diam? bears S. 58. W. 11. lbs. dist. & B. Oak 22. in? diam? bears N. 27. W. 28. lbs. dist.

50. 00 To a Post to the Post.

78. 20 To an R. Oak 14. in? diam? stands in the line.

79. 70 Intersected the Range line 105. lbs. E. of the Post & set a Post. from which an S. Oak 14. in? diam? bears S. 118. W. 62. lbs. dist. & an Elm 12. in? diam? bears S. 33. E. 19. lbs. Low Brushy Bridges to the swamp. & the Elm & Maple.

East Between Sec. 2. & 11. T. 5. S. R. N. 11. W.

10. 00 To Met Bottom 20. chains wide.

16. 88 To a Branch 12. lbs. wide; course North.

T. P. 5. S. R. N. M. 2nd Mer.

110. 20 Set a Post for the Nor. to 14 Che. from which a B. Oak
22. in? diam? bears N 84. W. 25. lbs. dist? & a B. Oak 22.
in? diam? bears N. 34. W. 27. lbs. dist?
60. 00 To a Branch 6. lbs. wide; Course N.
80. 00 Intersecting the N. & S. line 30. lbs. N. of the Post set for
the Nor. to Che? 1. 2. 11 & 12. — Low Ridges. Part
Barrens. Timber. Oak & Hickory. & Brushy Land.

- North Between Che? 1. & 2. T. 5. S. R. M. M. Jan^y 26th 1806.
1. 88 To a B. Oak 33 in? diam? which stands in the line.
29. 50 To a Branch 40 lbs. wide Course N. 50. W.
110. 00 Set a Post for the Nor. to 14 Che. from which a B. Oak
10 in? diam? bears S. 27. W. 6. lbs. dist? & an W. Oak.
10. " " " N. 65. E. 33. lbs. dist?
50. 75 To a Branch 6. lbs. wide; Course W.
73. 38 To a B. Oak 36. in? diam? stands in the line.
79. 30 Intersecting the Range 98. lbs. E. of the Post set for the
Nor. & set a Post. from which a B. Oak 18. in? diam?
bears S. 70. W. 34. lbs. dist? & a W. Oak 12. in? diam?
bears S. 14. E. 87. lbs. dist? Level Land. Part Mt.
mostly Barrens. Timber. Oak & Hickory. Brushy.

- East Between Che? 1. & 12. T. 5. S. R. M. M. 2nd Mer.
10. 00 To a Branch 6. lbs. wide. Course N.
110. 00 Set a 14 Che. Post from which a B. Oak 10. in? diam? bears S.
73 E. 14. lbs. dist? & a B. Oak 7. in? diam? bears N. 70. W. 29. lbs. dis
62. 50 To a Branch 12. lbs. wide; Course N.
72. 50 To the Post Road.
73. 50 Barrens to the Post.
80. 00 Intersecting the N. & S. line at the Post. Level Land. Part
Mt. Timber. Oak & Hick? Brushy. — Timber of the Township.
Jan^y 27th 1806.

Surveyed by
Jacob Fowler.

Deputy Surveyor.

L.S. & R. H. W. 2nd Mer Ind^a

North Boundary.

West On S. Boundary of Sec 36 T. 4 S. R. 11 W.
 11.60 Road to Red bank.
 28.98 Town cor. Established by Mr. Rector,
 40.00 Set of Sec Post from which
 A.B. Jack 4 in dia b^p N 56 E 27 1/2
 74.30 Rectors 1/2 mile post.
 80.00 Set Post for to Sec 35 & 36 from which
 A.B. Clark 3 in dia b^p N 33 W 45 1/2
 A.B. " 20 " " " N 30 E 90 " "
 November 24, 1805.

West On S. Boundary of Sec 35, T. 4 S. R. 11 W.
 34.75 Rectors mile post.
 40.00 Set of Sec Post from which
 A.B. Jack 15 in dia is corner.
 75.04 Rectors 1/2 mile post.
 80.00 mile post for to Sec 34 & 35 from which
 An Elm 24 in dia b^p N 16 E 33 1/2
 A maple 14 " " " N 60 W 57 "
 Low wet land covered with Brans.

West On S. Boundary of Sec 34, T. 4 S. R. 11 W.
 15.60 Bed of a stream 30 CK wide (ours. N.
 35.80 Rectors mile post
 40.00 Set of Sec Post from which
 A Dogwood 10 in dia b^p N 10 W 13 1/2
 A Hickory 6 " " " S 47 W 11 " "
 75.90 Rectors 1/2 mile post.
 80.00 Post for to Sec 33 & 34 from which
 A.B. Jack 6 in dia b^p N 11 E 21 1/2
 A DO " " " " N 31 W 40 " "
 Poor Brushy Brans. Nov 29, 1805

T. S. S. R. 11. 70, 2nd Mer End^a
ch. 2 KD,

- 1121 At S. Boundary of Sec 33. T4S R11W.
37.08 Returns 1/2 mile post.
40.00 Set of Sec Post from which
a Spanish Oak 8 in dia W N 7 E 30 KD
a do 5 " " " S 12 E 28 " ,
77.55 Returns 1/2 mile post.
80.00 Post Co. to Sec 32 & 33 from which
a W Oak 20 in dia W N 7 E 31 KD &
a B Jack 9 " " " S 55 E 23 " ,
Land flat & swampy.

- Next At S Boundary of Sec 33. T4S R11W.
37.40 Returns mile post.
40.00 Set of Sec Post from which
a Dogwood 10 in dia W S 42 W 15 KD &
a do 12 " " " North 18 " ,
59.00 A stream 17 Ks wide Course N.
75.73 Returns 1/2 mile post.
80.00 Post for to Sec 31 & 32 from which
a W Oak 20 in dia W N 27 E 26 KD &
a do 5 " " " S 65 W 5 " ,
Thin Soil. Timber Oak. Hickory &c.

- Next At S Boundary of Sec 31. T4S R11W.
36.89 Returns mile post.
40.00 Set of Sec Post from which
a Hickory 20 in dia W S 70 W 27 KD &
a do 18 " " " N 53 E 12 " ,
75.36 Set Post from which
a W. Oak 20 in dia W N 47 E 57 KD &
a Hickory 14 " " " S 72 W 25 " ,
Land as same,
Sullivan D. S.

F. 5. S. R. 11. T. 2^a Mer Sud^a
ch² 2K5.

W. B. Boundary

Var

South An E. Boundary of Sec 11, F. 5. S. R. 12 T. 2^a,
12.50 AM. Oak 20 in dia
40.00 Set of Sec Post from which
a Blk Oak 24 in dia b^p S 67 N 43 E 100 x
a Hickory 8 " " " N 35 E 7 " "
58.40 a Blk Gum 18 " " "
66.00 Set post Cor to Sec 11 & 12 from which
a B. Oak 24 in dia b^p N 48 W 38 E 100 x
a W " 18 " " " S 68 W 64 " "
Land rolling & pretty good soil, Timber
B. Oak, W Oak Hickory &c.

South An E. Boundary of Sec 12, F. 5. S. R. 12 T. 2^a,
18.37 AM. Oak 20 in dia,
40.00 Set of Sec Post from which
a B. Gum 10 in dia b^p N 81 W 39 E 100 x
a B. Oak 24 " " " S 43 E 33 " "
53.88 a W " 20 " " "
80.00 Set post Cor to Sec 12 & 13 from which
a Hickory 20 in dia b^p N 62 W 69 E 100 x
a do 18 " " " S 88 W 54 " "
Land &c Same.

South An E. Boundary of Sec 13, F. 5. S. R. 12 T. 2^a,
33.09 a Hickory 20 in dia,
40.00 Set of Sec Post from which
an Elm 10 in dia b^p N 86 W 63 E 100 x
a Hickory 12 " " " S 83 E 19 " "
51.00 a B. Oak 24 " " "
80.00 Set post Cor to Sec 13 & 24 from which
a B. Oak 30 in dia b^p N 58 W 32 E 100 x
a do 30 " " " S 30 W 92 " "
Land &c Same.

F.S.S.R. 11. W. 2^a mer Erd^a,
 ch. 18.

South An Co. Boundary of Sec 24, F.S.S.R. 12. W.
 19.13 A R. Oak 18 in dia,
 40.00 Set of Sec Post from which
 A B. Gum 11 in dia bP 879771 100+
 A Poplar 9 " " " 8771 630 " ,
 54.68 A R. Oak 12 " " ,
 70.00 A Brook 15 Lined Course S. W.
 80.00 Set post for to Sec 24 + 25 from which
 A B. Gum 12 in dia bP 877771 4 100+
 A do 8 " " " 845771 21 " ,
 Land rolling some bottom out north,
 Timber Oak, Hickory & Gum.

South An Co. Boundary of Sec 25, F.S.S.R. 12. W.
 40.00 Set of Sec Post from which
 A R. Oak 24 in dia bP 878771 24 100+
 A Hickory 5 " " " N 76 1/2 E 23 " ,
 42.00 A Red Oak 22 " " ,
 80.00 Set post for to Sec 25 + 26 from which
 A Hickory 14 in dia bP. 824771 33 100+
 A do 12 " " " 822771 67 " ,
 Land & Same, Dec 1, 1805

South An Co. Boundary of Sec 26, F.S.S.R. 12. W.
 77. A Red Oak 30 in dia,
 40.00 Set of Sec Post from which
 A Hickory 10 in dia bP 877771 20 100+
 A do 12 " " " N 67 E 21 " ,
 At this place there is a quantity of R. L. Stone,
 45.12 A. B. Gum 10 in dia,
 80.00 Set Post for to Towns 5th S. R. 11 + 12 W.
 A R. Oak 20 in dia bP 844771 20 100+
 A B. Gum 12 " " " N 50 W 67 " ,
 Land & Same.

Wm Rector, D.S.

445-

T. N. 5 S. W. N. 11 W. 2nd Mer.

I certify that the foregoing manuscript of the field
notes of Township N. 5 South, Range 11 W. 2nd Mer.
of the 2nd Mer. Indiana, has been compared with
the original notes in this Office, & found to be cor-
rect;

Surveyor General's Office,
Detroit April 23. 1846.

Sar. Quid.